



BOGO

THE PERFECT
BALANCE OF DESIGN
& SAFETY

THE POWER PARTNERSHIP OF BOGO AND TENTEN IN THE UNITED ARAB EMIRATES & GCC.

Since its foundation in 1999, BOGO has specialized in the independent research, development, production, and sales of high-end door and window hardware systems. BOGO is renowned for its commitment to quality, adhering to the rigorous standards of German industry and offering comprehensive solutions for aluminum doors and windows worldwide. By continually exploring the latest innovations, BOGO has built strong strategic partnerships with prominent aluminum profile and hardware companies both domestically and internationally. Through these collaborations, BOGO has achieved numerous breakthroughs in aluminum door and window products.

TENTEN Building Material Trading L.L.C proudly represents BOGO in the UAE and GCC region, serving as the exclusive distributor of BOGO's high-end door and window hardware fittings. With over 20 years of experience in aluminum and glass fabrication, TENTEN has established itself as a trusted leader in the industry, deeply knowledgeable about the market's demands and the specific requirements of the region. Known for delivering tailored solutions, TENTEN ensures that BOGO products are distributed according to detailed local specifications, offering the perfect balance of premium quality and market-relevant designs.

As a well-established fabricator, TENTEN has been instrumental in providing high-quality aluminum and glass products for a wide range of projects, leveraging its expertise to complement BOGO's world-class hardware systems. TENTEN's dedication to quality craftsmanship and customer satisfaction aligns perfectly with BOGO's values, making the partnership a powerful combination that consistently delivers top-tier solutions to the market. Through this partnership, TENTEN brings BOGO's innovative hardware systems to the UAE and GCC markets, ensuring that clients receive products that are not only technically advanced but also perfectly suited to regional needs.

PRODUCTS

- SLIDING DOOR SERIES -

PRODUCT ADVANTAGES

Product Coverage Is Wide And Complete

Sliding door system hardware, sliding window system hardware, swing door system hardware, swing window system hardware, hinges, pulleys, handles. The diversity of products provides.



PRODDUCT
COVERAGE IS-WIDE

Outstanding Product Performance

With anti-fall, error-proof, durable, silent, fast-opening, children's lock, small angle opening and other functions, high adaptability, can provide customers with a strong supporting hardware program.



OUTSTANDING-PRODUCT
PERFORMANCE

The Surface of The Product Is Treated with A Characteristic Process

Anodized surface treatment process, prolong the life of the product for 5-8 years, long-lasting quality, excellent appearance


The powder spraying surface treatment process is stronger than the painting process in terms of mechanical strength, adhesion, corrosion, resistance, aging resistance, etc.



THE SURFACE OF THE
PRODCUT IS TREATED
WITH CHARACSTISTIC
PROCESS

The Core Technology of The Product Is Powerful

The products have obtained national patents, covering practical and cosmetic patents, with a total of 283.



THE CORE TECHNOLOGY
OF THE PRODUCT IS
POWERFUL

Product Inspection Covers

Film thickness detection:

Film thickness reaches AA15 national standard. The average film thicknesses is greater than 13um.

Grade 10 salt spray test: The anodized treatment passed the ultra-960H salt spray test, and the powder spraying treatment passed the 360H salt spray test, which is rust-resistant and corrosion-resistant.

Anti-UV aging test: up to 300H when detecting anodizing treatment, up to 1000H when testing powder spraying treatment, under ultraviolet irradiation, reaching gray card level 5, strong weather resistance.

Life test: 15w times opening and closing test, durable

Spray detection: film thickness greater than or equal to 40um, paint film hardness of H5, high hardness, wear resistance, anti-deformation.



PRODUCT INSPECTION
COVERS



BOGO


Let the world door and window industry enjoy BOGO intelligent manufacturing.

BOGO



SLIDING DOORS SYSTEM HARDWARE






SLIDING DOORS SYSTEMS HANDLES

ITEM CODE: BSDL-332LI-BLK



ITEM CODE: BSDL-332LI-SILVER



SPECIFICATIONS


Material: Aluminium + Acrylic
Finish: Anodized
Color: Black/Silver
Door Handle size: L 220 * W 30 MM
Door style: Aluminum frame door, wooden door, ecological door
Door thickness: 40-60MM
Usage count: 100,000 times
UV test: 1000 hours
Salt spray test: 1000 hours

The set contains two Door Handles and minimalist lock cylinder and latch, includes mounting material (screws)

ITEM CODE: BSDL-2272-SILVER



ITEM CODE: BSDL-2272-BLK



SPECIFICATION

Product size: L175 * W126 * H50 MM

Material: Aluminum + Acrylic

Finish: Anodized

Color: Black/Silver

Door thickness: 40-60 MM




Usage count: 100,000 times

UV test: 1000 hours

Salt spray test: 1000 hours

The set contains two Door Handles and minimalist magnetic lock cylinder and latch, includes mounting material (screws)




ITEM CODE.: BWL-171 (Black & Silver)



SPECIFACTIONS

Choose: For Left and Right Sash (From Indoor)
Specially Designed for Slim Profile
With Handle Style



ITEM CODE.: BWL-171-ET (Black & Silver) – With Key



SPECIFICATIONS

Choose: For Left and Right Sash (From Indoor)
Specially Designed for Slim Profile
With Handle Style


ITEM CODE.: BWL-172 (Black & Silver)



SPECIFICATIONS

Choose: Left & Right Sash Types (From Indoor)
Specially Designed for Slim Profile
300H-UV TESTED
150000-OPENING AND CLOSING TESTED
ANODIZED SURFACE TREATMENT-960H SALT SPRAY TEST


ITEM CODE.: BWL-172ET (Black & Silver)



SPECIFICATIONS

Choose: Left & Right Sash Types (From Indoor)
Specially Designed for Slim Profile
300H-UV TESTED
150000-OPENING AND CLOSING TESTED
ANODIZED SURFACE TREATMENT-960H SALT SPRAY TEST

ITEM CODE: BLET 23 (Black & Silver)



SPECIFICATIONS

SLIDING DOOR LOCK (NORMAL)

BLET23 SET

material:aluminum




anodizing finish

lock body : 20mm

cylinder: 75mm

SLIDING DOOR LOCK FITTINGS

ITEM CODE: A29-POLYMIDE STRIPS-1.2M & 1.5M



SPECIFICATION

SLIDING DOOR TRANSMISSION ROD (TWO-POINTS)



Reciever

Locking Point

Polyamide strip(1200mm/1500mm)

T – Nails kits

ITEM CODE: A33-NATURE




SPECIFICATION

Can Be Used in Sliding Door or Sliding Window
Polyamide Strip Is Inserted in The Euro Groove of Sash

DOOR HANDLE SERIES

ITEM CODE: BDH-250 (Black & Silver)




SPECIFICATION

Handle material: Aluminium
Finish: Anodized
Color: Black/Silver/Bronze
Pouncing size: 250 MM
Door Handle size: L 278 * W 69.5 MM
Door style: Sliding door
Usage count: 100,000 times
UV test: 1000 hours
Salt spray test: 1000 hours

The set contains two Door Handles and minimalist lock cylinder and latch, includes mounting material (screws)

ITEM CODE: BDH-270 (Black & Silver)



SPECIFICATION



Handle material: Aluminium
Finish: Anodized
Color: Black/Silver/Bronze
Pouncing size: 270 MM
Door Handle size: L 295 * W 43 MM
Door style: Sliding door
Usage count: 100,000 times
UV test: 1000 hours
Salt spray test: 1000 hours

The Set Contains Two Door Handles and Minimalist Magnetic Lock Cylinder and Latch, Includes Mounting Material (Screws)


PRODUCTS

- SLIDING WINDOW SERIES -

SLIDING WINDOWS SERIES



ITEM CODE: BSDL-222A (Black & Silver) With Key



SPECIFICATION

Handle material: Aluminium + Acrylic
 Seat material: Aluminium
 Finish: Anodized
 Color: Black/Silver
 Door Handle size: L 220 * W 30 MM
 Door style: Aluminum frame door, wooden door, ecological door
 Door thickness: 40-60MM
 Usage count: 100,000 times
 UV test: 1000 hours
 Salt spray test: 1000 hours



The Set Contains Two Door Handles and Minimalist Lock Cylinder and Latch, Includes Mounting Material (Screws)

ITEM NAME: SINGLE HOOK



A20B
 BQ WINDOW LOCKING KITS
 Single Hook Locking With 03 Receiver

SLIDING WINDOWS SERIES



SLIDING WINDOWS LOCK SERIES

ITEM CODE: BSDL-152A (Black & Silver) With Key



SPECIFICATION

Handle material: Aluminium + Acrylic

Seat material: Aluminium

Finish: Anodized

Color: Black/Silver

Door Handle size: L 220 * W 30 MM

Door style: Aluminum frame door, wooden door, ecological door

Door thickness: 40-60MM


Usage count: 100,000 times


UV test: 1000 hours

Salt spray test: 1000 hours

The Set Contains Two Door Handles and Minimalist Magnetic Lock Cylinder and Latch, Includes Mounting Material (Screws)

ITEM NAME: LOCK CATCH







PRODUCTS

- CASEMENT SERIES -

Outward Opening
Glass window Solution




Inward Opening
Mesh window Solution



CASEMENT HANDLE & HARDWARE

ITEM CODE: BWH-10677 (Black & Silver)



SPECIFICATION


Door Lock Type: Fire proof steel Door Lock, Steel fire door Lock, Fire rated Metal door Lock,
Size: L159*W52MM
Surface Color: Black & Silver
Finish Anodized

Door handle lock

1. Aluminum alloy beautiful appearance, good color and good corrosion resistance
2. Passed the UL NFPA BS CE EN AS... etc. test.

Application: Suitable for swing door, casement door, glass door, bathroom door, building project, house entrances, villas and warehouses. Etc

ITEM CODE: BWH-10679 (Black & Silver)



SPECIFICATION


Door Lock Type: Fire proof steel Door Lock, Steel fire door Lock, Fire rated Metal door Lock,
Surface Color: Black & Silver
Finish Anodized

Door handle lock

1. Aluminum alloy beautiful appearance, good color and good corrosion resistance
2. Passed the UL NFPA BS CE EN AS... etc. test.

Application: Suitable for swing door, casement door, glass door, bathroom door, building project, house entrances, villas and warehouses. Etc

ITEM CODE: BAW-FH16-C



SPECIFICATION

The aluminum friction hinge is designed for heavy-duty applications, supporting up to 60kg of weight. It allows smooth operation with an opening angle of 87 degrees, providing stability and durability for windows and doors. Ideal for both residential and commercial use.

ITEM CODE: BAW-Window Hinge Top Hung




SPECIFICATION

The top-hung aluminum friction hinge supports up to 65kg, offering reliable performance for heavier windows. With an adjustable opening angle of 25 to 35 degrees, it ensures controlled ventilation and secure positioning, ideal for residential and commercial installations.

CASEMENT WINDOW ACCESSORIES

ITEM NAME: BWH-GEAR BOX


Two-Way Drive Box



PRODUCTS


- HINGED DOOR SERIES -

HINGED DOOR HANDLES



HINGE DOOR HANDLES

ITEM CODE: BCH-9935A-16 (Black & Silver)




SPECIFICATION

Handle material: Aluminium
Chose form Left & Right
Seat material: Aluminum
Finish: Anodized
Color: Black/Silver
Door Handle size: L159 * W 44 MM
Door style: Glass door
Glass thickness: 10-20MM glass
Usage count: 100,000 times
UV test: 1000 hours
Salt spray test: 1000 hours

The Set Contains Two Door Handles and Minimalist Lock Cylinder and Latch, Includes Mounting Material (Screws)

ITEM CODE: BCWH-10166



SPECIFICATION

Black Available in Left & Right, White Available in Left Side

Handle material: Aluminum

Seat material: Aluminum

Finish: Anodized

Color: Black/Silver

Door style: Glass door

Glass thickness: 10-20MM glass


Usage count: 100,000 times

UV test: 1000 hours

Salt spray test: 1000 hours

The Set Contains Two Door Handles and Minimalist Lock Cylinder and Latch, Includes Mounting Material (Screws)

ITEM CODE: BCWH8316-ET – SILVER & BLACK



SPECIFICATION

Product Name: Flat Open-Door Lock

Color: silver oxide, gold oxide, black oxide, copper oxide

Material: Aluminum alloy

Installation door thickness: 35-50 (mm)


Scope of application: Suitable for aluminium alloy doors and bathroom doors

DESCRIPTION

Anodized surface treatment, film level up to AA15, rust and corrosion resistance, outstanding technology, uniform color, long-term gloss, high-quality aluminum alloy material made, stamping forming panel, after special grinding process, corrosion resistance, good brightness, wear resistance. The handle is equipped with a soft rubber washer, which isolates the handle from the panel, effectively reduces friction and noise. The knob conforms to ergonomics and feels comfortable and beautiful. Just flick the knob and everything is in control.

CASEMENT DOOR HANDLE & FITTINGS

ITEM CODE: BDH-20W17- BLK & SILVER





SPECIFICATION

ITEM NAME: Swing Door Handle
Suitable For: Aluminum Door, Bedroom Door, Office Door
Install Door Thickness: 35-60mm
Materiel: Aluminium Alloy
Anodized Film: Aa15
Usage Count: 100,000 Times

HINGES

ITEM CODE: BDH-L21C-SILVER (Left & Right)



SPECIFICATION

Our BDH21C | WD21 door hinges are crafted for strength and durability, making them ideal for residential and commercial use. Each hinge is built to support up to 60kg, ensuring stability for heavy doors. For doors taller than 2.2 meters, we recommend using three hinges for optimal performance and longevity. These hinges are engineered for smooth, quiet operation, making them a reliable choice for both interior and exterior applications. With their robust construction and sleek design, the BDH21C | WD21 hinges combine functionality with a modern aesthetic.

PULLEY SERIES

ITEM CODE: BDR-03



SPECIFICATION

Load Capacity: 150 Kg
Number Of Wheels: 2
Materiel: Aluminium & PVC

High and low temperature range - 30 to 170 C
Repeated start-up and shut-down life test 150,000 times. (Standard 100,000 times) Load 100 kg static load up to 150 kg of high-quality aluminum, shell support using high-quality stainless steel, pulley overall anti-corrosion performance (NSS 240 hours above 9 grades, usable 8-10 years) using motor bearings, high load-bearing, smooth sliding, smooth hand feel, silence less than 25 decibels (material hardness as high as HRC 66 degrees)

ITEM CODE: BDR-02



SPECIFICATION

Load Capacity: 100 Kg
Number Of Wheels: 2
Materiel: Aluminium

High and low temperature range - 30 to 170 C
Repeated start-up and shut-down life test 150,000 times. (Standard 100,000 times) Load 100 kg static load up to 150 kg of high-quality aluminum, shell support using high-quality stainless steel, pulley overall anti-corrosion performance (NSS 240 hours above 9 grades, usable 8-10 years) using motor bearings, high load-bearing, smooth sliding, smooth hand feel, silence less than 25 decibels (material hardness as high as HRC 66 degrees)

ITEM CODE: BDR-01




SPECIFICATION

Load Capacity: 200 Kg
Number Of Wheels: 4 With Smoothing Brush*2
Materiel: Aluminium

High and low temperature range - 30 to 170 C
Repeated start-up and shut-down life test 150,000 times. (Standard 100,000 times) Load 150 kg static load up to 200 kg of high-quality aluminum, shell support using high-quality stainless steel, pulley overall anti-corrosion performance (NSS 240 hours above 9 grades, usable 8-10 years) using motor bearings, high load-bearing, smooth sliding, smooth hand feel, silence less than 25 decibels (material hardness as high as HRC 66 degrees)

ITEM CODE: BDR-04



SPECIFICATION

Other Names: Cabinet Wheel Pulley
Load Capacity: 50 Kg
Number Of Wheels: 4 With Smoothing Brush*2
Materiel: Aluminium

High and low temperature range - 30 to 170 C
Repeated start-up and shut-down life test 150,000 times. (Standard 100,000 times) Load 20 kg static load up to 50 kg of high-quality aluminum, shell support using high-quality stainless steel, pulley overall anti-corrosion performance (NSS 240 hours above 9 grades, usable 8-10 years) using motor bearings, high load-bearing, smooth sliding, smooth hand feel, silence less than 25 decibels (material hardness as high as HRC 66 degrees)

ACCESSORIES

ITEM CODE: BLET23-75MM – SILVER & BLACK



SPECIFICATION

BLET23-75MM - Silver & Black

A high-quality lock cylinder with a 75mm length, featuring a sleek silver and black finish. Designed for durability and security, this cylinder is ideal for various door types, offering a modern look and reliable performance.

ITEM CODE: BAL-LC80U & 90U (Unequal)



SPECIFICATION

BAL-LC80U & 90U (Unequal)

This lock cylinder comes in unequal sizes, 80mm and 90mm, providing versatile use for doors requiring different internal and external dimensions. Engineered for strength and precision, it ensures enhanced protection and smooth locking functionality.

ITEM CODE: BAL-LC3030E



SPECIFICATION

BAL-LC3030E

A compact and efficient 30x30mm equal-sized lock cylinder, perfect for standard door locking systems. Its durable construction offers optimal security while maintaining ease of use and installation, making it suitable for residential and commercial applications.

ITEM CODE: BAL-LCA4040E



SPECIFICATION

BAL-LCA4040E

This 40x40mm equal-sized lock cylinder is designed for high-security requirements. With a robust build and precise engineering, it ensures consistent locking performance, offering a secure and dependable solution for various door systems.



BOGO UAE 

TEN BUILDING MATERIAL TRADING (S.P.S-L.L.C)

Shed No.5, Behind TENTEN TECHNICAL SERVICES LLC, Al Jurf Industrial Area 1, Ajman

☎ +971586413824 - +971529725213

BOGO Germany 

(Engineering, Design &
Product Development)
Brunnthal Str. 101,
82024, Taufkirchen,
Bavaria, Germany

BOGO China Factory 

No.6, Science & Technology
West Road, Song Xia Industrial Park,
Nanhai District,
Foshan City

BOGO Saudi Arabia 

BLUE COAST CO. LLC
King Fahad Bin Abdulaziz
P.O Box: 1288 ,St:Cross No 24,
Building No 8139, Flat No 6,
Khobar Shamaliya
Kingdom Of Saudi Arabia
+966 59 039 7121

BOGO Gambia 

Blue bird tech
Gamcem Road
Kanifing industrial estate
Gambia: +220 751 8654